

Boidae:			
<i>Aspidites melanocephalus</i>	(Krefft) 1864	<i>Furina christieana</i>	(Fry) 1915
<i>A. ramsayi</i>	Macleay 1882	<i>Pseudechis australis</i>	(Gray) 1842
<i>Liasis childreni</i>	Gray 1842	<i>Pseudonaja guttata</i>	(Parker) 1926
<i>L. olivaceus</i>	Gray 1842	<i>P. ingrami</i>	(Boulenger) 1908
<i>Python spilotus variegatus</i>	(Gray) 1842	<i>P. modesta</i>	(Gunther) 1872
Elapidae:			
<i>Acanthophis antarcticus</i>	(Shaw) 1794	<i>P. nuchalis</i>	Gunther 1858
<i>A. pyrrhus</i>	Boulenger 1898	<i>P. t. textilis</i>	(Dumeril & Bibron) 1854
<i>Demansia o. olivacea</i>	(Gray) 1842	<i>Suta suta</i>	(Peters) 1864
<i>D. o. calodera</i>	Storr 1978	<i>Unechis monachus</i>	Storr 1964
<i>D. reticulata cupreiceps</i>	Storr 1978	<i>Vermicella annulata snelli</i>	Storr 1967
<i>D. torquata</i>	Gunther 1862	<i>V. bertholdi</i>	(Jan) 1858
<i>Denisonia punctata</i>	Boulenger 1896	<i>V. fasciolatus fasciata</i>	Stirling & Zietz 1893
		<i>V. incincta</i>	Storr 1967
		<i>V. s. semifasciata</i>	(Gunther) 1863

CHECKLIST OF REPTILES AND AMPHIBIANS OF THE NORTHERN SECTOR OF THE N.T.



Area bordered by:
 129 00' - W.A., N.T. Border
 138 00' - N.T., QLD Border
 18 00' south - Southern limit
 10 00' south - Northern limit

SALIENTIA

Leptodactylidae:
Cyclorana australis (Gray) 1843

<i>C. alboguttatus</i>	(Gunther) 1867
<i>C. cryptotis</i>	Tyler & Martin 1977
<i>C. longipes</i>	Tyler & Martin 1977
<i>C. maculosus</i>	Tyler & Martin 1977
<i>C. platycephalus</i>	(Gunther) 1873
<i>Glauertia orientalis</i>	Parker 1940
<i>Limnodynastes convexiusculus</i>	(Macleay) 1877
<i>Megistolotis lignarius</i>	Tyler, Martin & Davies 1979
<i>Notaden melanoscaphus</i>	Hosmer 1962
<i>Platylectron ornatum</i>	(Gray) 1842
<i>Ranidella bilingua</i>	Martin, Tyler & Davies 1980
<i>Uperoleia arenicola</i>	Tyler (in press)
<i>U. lineata</i>	Tyler (in press)
<i>U. inundata</i>	Tyler (in press)
<i>U. marmorata</i>	Gray 1967
Hylidae:	
<i>Litoria bicolor</i>	(Gray) 1842
<i>L. caerulea</i>	(White) 1790
<i>L. coplandi</i>	(Tyler) 1968
<i>L. dahli</i>	(Boulenger) 1896
<i>L. dorsalis microbelos</i>	Cogger 1966
<i>L. inermis</i>	(Peters) 1857
<i>L. latopalmata</i>	Gunther 1867
<i>L. meiriana</i>	(Tyler) 1969
<i>L. nasuta</i>	(Gray) 1842
<i>L. personata</i>	Tyler, Davies & Martin 1978
<i>L. rothi</i>	(De Vis) 1884
<i>L. rubella</i>	(Gray) 1842
<i>L. tornieri</i>	(Nieden) 1923

<i>L. wotjulumensis</i>	(Copland) 1957	<i>Delma borea</i>	Kluge 1974
Microhylidae:		<i>D. nasuta</i>	Kluge 1974
<i>Sphenophryne robusta</i>	(Fry) 1912	<i>D. tincta</i>	De Vis 1888
CROCODILIA		<i>Lialis burtonis</i>	Gray 1835
Crocodylidae:		<i>Pygopus n. nigriceps</i>	(Fischer) 1882
<i>Crocodylus johnstoni</i>	Krefft 1873	Agamidae:	
<i>C. porosus</i>	Schneider 1801	<i>Amphibolurus caudicinctus</i>	
TESTUDINES		<i>macropus</i>	Storr 1967
Cheloniidae:		<i>A. isolepis</i>	(Fischer) 1881
<i>Caretta caretta</i>	(Linnaeus) 1758	<i>A. mitchelli</i>	Badham 1976
Chelonia depressa	Garman 1880	<i>A. nuchalis</i>	(De Vis) 1888
<i>C. mydas</i>	(Linnaeus) 1758	<i>A. vitticeps</i>	Ahl 1926
Eretmochelys imbricata	(Linnaeus) 1766	Chelosania brunnea	Gray 1845
Lepidochelys olivacea	(Eschscholtz) 1829	Chlamydosaurus kingii	Gray 1827
Carettochelyidae:		Diporiphora albilabris sobria	Storr 1974
<i>Carettochelys insculpta</i>	Ramsay 1886	<i>D. b. bennetti</i>	(Gray) 1845
Chelidae:		<i>D. b. arnhemica</i>	Storr 1974
<i>Chelodina rugosa</i>	Ogilby 1890	<i>D. bilineata</i>	Gray 1842
<i>Elseya dentata</i>	(Gray) 1863	<i>D. lalliae</i>	Storr 1974
Emydura australis	(Gray) 1841	<i>D. magna</i>	Storr 1974
<i>E. victoriae</i>	(Gray) 1842	<i>D. margaretae</i>	Storr 1974
SAURIA		Lophognathus gilberti	(Gray) 1842
Gekkonidae:		<i>L. longirostris</i>	Boulenger 1883
<i>Crenadactylus ocellatus</i>	(Gray) 1845	<i>L. temporalis</i>	(Gunther) 1867
Diplodactylus ciliaris	Boulenger 1885	Tympanocryptis lineata centralis	Sternfeld 1924
<i>D. conspicillatus</i>	Lucas & Frost 1895	<i>T. tetraporophora</i>	Lucas & Frost 1895
<i>D. stenodactylus</i>	Boulenger 1896	<i>T. uniformis</i>	Mitchell 1948
<i>D. taeniata</i>	(Lonnberg & Andersson) 1913	Varanidae:	
Gehyra australis	Gray 1845	<i>Varanus acanthurus</i>	Boulenger 1885
<i>G. pamela</i>	King (in press)	<i>V. gilleni</i>	Lucas & Frost 1895
<i>G. piloara</i>	Mitchell 1965	<i>V. glauerti</i>	Mertens 1957
<i>G. punctata</i>	(Fry) 1914	<i>V. glebopalma</i>	Mitchell 1955
<i>G. variegata</i>	(Dumeril & Bibron) 1836	<i>V. g. gouldii</i>	(Gray) 1838
Hemidactylus frenatus	Dumeril & Bibron 1836	<i>V. indicus</i>	(Daudin) 1802
Heteronotia binoei	(Gray) 1845	<i>V. kingorum</i>	Storr 1980
<i>H. spelea</i>	(Kluge) 1963	<i>V. mertensi</i>	Glauert 1951
Nephrurus asper	Gunther 1876	<i>V. mitchelli</i>	Mertens 1958
Oedura marmorata	Gray 1842	<i>V. p. panoptes</i>	Storr 1980
<i>O. rhombifer</i>	Gray 1845	<i>V. primordius</i>	Mertens 1942
Pseudoechadactylus lindneri	Cogger	<i>V. spenceri</i>	Lucas & Frost 1903
Rhynchoedura ornata	Gunther 1867	<i>V. storri ocreatus</i>	Storr 1980
Pygopodidae:		<i>V. timorensis similis</i>	Mertens 1958
		<i>V. tristis orientalis</i>	Fry 1913
		Scincidae:	
		<i>Carlia amax</i>	Storr 1974
		<i>C. f. fusca</i>	(Dumeril & Bibron) 1839
		<i>C. gracilis</i>	Storr 1974
		<i>C. johnstonei grandensis</i>	Storr 1974
		<i>C. melanopogon</i>	(Gray) 1845
		<i>C. rufilatus</i>	Storr 1974
		<i>C. triacantha</i>	(Mitchell) 1953
		Cryptoblepharus carnabyi	Storr 1976

<i>C. litoralis</i>	(Mertens) 1958	<i>T. endotera</i>	(Waite) 1918
<i>C. megastictus</i>	Storr 1976	<i>T. grypa</i>	(Waite) 1918
<i>C. plagiocephalus</i>	(Cocteau) 1836	<i>T. guentheri</i>	(Peters) 1865
		<i>T. minima</i>	(Kinghorn) 1929
		<i>T. tovelli</i>	(Loveridge) 1945
<i>Ctenotus alacer</i>	Storr 1969	<i>T. unguirostris</i>	(Peters) 1867
<i>C. d. decaneurus</i>	Storr 1970	<i>T. wiedii</i>	(Peters) 1867
<i>C. essingtoni</i>	(Gray) 1842	<i>T. yirrikalae</i>	Kinghorn 1942
<i>C. heleneae</i>	Storr 1968		
<i>C. hilli</i>	Storr 1969		
<i>C. inornatus</i>	(Gray) 1845		
<i>C. joanae</i>	Storr 1969		
<i>C. leonhardii</i>	(Sternfeld) 1919		
<i>C. pantherinus calx</i>	Storr 1970		
<i>C. p. piankai</i>	Storr 1968		
<i>C. pulchellus</i>	Storr 1978		
<i>C. robustus</i>	Storr 1969		
<i>C. saxatilis</i>	Storr 1969		
<i>C. storri</i>	Rankin 1978		
<i>C. spaldingi</i>	(Macleay) 1877		
<i>C. tantillus</i>	Storr 1975		
<i>C. vertebralis</i>	Rankin (in press)		
<i>Egernia frerei</i>	Gunther 1897		
<i>E. hosmeri</i>	Kinghorn 1955		
<i>Eremiascincus f. fasciolatus</i>	(Gunther) 1867		
<i>E. richardsonii</i>	(Gray) 1845		
<i>Lerista bipes</i>	(Fischer) 1882		
<i>L. borealis</i>	Storr 1971		
<i>L. karlschmidti</i>	(Marx & Hosmer)		
<i>L. orientalis</i>	(De Vis) 1888		
<i>L. stylis</i>	(Mitchell) 1955		
<i>Menetia alanae</i>	Rankin (in press)		
<i>M. greyii</i>	Gray 1845		
<i>M. maini</i>	Storr 1976		
<i>Morethia taeniopleura</i>	(Peters) 1874		
<i>M. ruticauda</i>	(Lucas & Frost) 1895		
<i>Notoscincus ornatus</i>	(Broom) 1896		
<i>N. wotjulum</i>	(Glauert) 1959		
<i>Omolepida branchialis</i>	(Gunther) 1867		
<i>Proablepharus kinghorni</i>	(Copland) 1946		
<i>P. reginae</i>	(Glauert) 1960		
<i>P. tenuis</i>	(Broom) 1896		
<i>Sphenomorphus crassicaudus arnhemicus</i>	Storr 1967		
<i>S. c. darwiniensis</i>	Storr 1967		
<i>S. douglasi</i>	Storr 1967		
<i>S. isolepis</i>	(Boulenger) 1887		
<i>Tiliqua multifasciata</i>	Sternfeld 1919		
<i>T. scincoides intermedia</i>	Mitchell 1955		
SERPENTES			
Typhlopidae:			
<i>Typhlina bituberculata</i>	(Peters) 1863	<i>Oxyuranus s. scutellatus</i>	(Peters) 1867
<i>T. bramina</i>	(Daudin) 1803	<i>Pseudechis australis</i>	(Gray) 1842
<i>T. broomi</i>	(Boulenger) 1898	<i>Pseudonaja guttata</i>	(Parker) 1926
<i>T. diversa</i>	(Waite) 1894	<i>P. ingrami</i>	(Boulenger) 1908

<i>P. modesta</i>	(Gunther) 1872	<i>D. major</i>	(Shaw) 1802
<i>P. nuchalis</i>	Gunther 1858	<i>Emydocephalus annulatus</i>	Krefft 1869
<i>P. t. textilis</i>	(Dumeril, Bibron & Dumeril) 1854	<i>Enhydrina schistosa</i>	(Daudin) 1803
<i>Suta suta</i>	(Peters) 1864	<i>Ephalophis mertoni</i>	(Roux) 1910
<i>Vermicella annulata snelli</i>	Storr 1967	<i>Hydrelaps darwiniensis</i>	Boulenger 1896
<i>V. incincta</i>	Storr 1967	<i>Hydrophis elegans</i>	(Gray) 1842
<i>V. multifasciata</i>	(Longman) 1915	<i>H. fasciatus</i>	(Schneider) 1799
<i>V. semifasciata roperi</i>	(Kinghorn) 1931	<i>H. inornatus</i>	(Gray) 1849
<i>Hydrophiidae:</i>		<i>H. sp</i>	(Gray) 1849
<i>Acalyptophis peronii</i>	(Dumeril) 1853	<i>H. ornatus</i>	(Boulenger) 1896
<i>Aipysurus duboisii</i>	Bavay 1869	<i>H. pacificus</i>	
<i>A. eydouxii</i>	(Gray) 1849	<i>Lapemis hardwickii</i>	Gray 1834
<i>A. laevis</i>	Lacepede 1804	<i>Pelamis platurus</i>	
<i>Astrotia stokesii</i>	(Gray) 1846		Linnaeus 1766
<i>Disteira kingii</i>	(Boulenger) 1896		